



Engineering Industry.
Powering Progress.

PRODUCT PROFILE

ABB Switchgear & Protection

Genuine ABB switchgear and protection products, contactors, MCCBs, ACBs, MCBs, ATS, energy meters and signalling devices for industrial panel building and OEM applications.

Contactors A/AX/AF

XT MCCB

Emax ACB

Formula 1

MCB

Energy Meters

ATS / OT Switches

ABOUT SSC CONTROL

SSC Control Pvt Ltd

Leading industrial automation, safety solutions, and electrical distribution for over 60 years. Your link to excellence.

10

Product Lines

50kA

Short Circuit

100%

Genuine

PRODUCT RANGE

ABB, Product Categories

01	Contactors, A, AX & AF Series	Motor Contactors
02	Manual Motor Starters	MS132 / MS165 MMS
03	Overload Relays	Thermal & Electronic OLR
04	MCCBs, DSP, XT & DSA Series	Moulded Case Circuit Breakers
05	ACBs, Emax & Formula 1 Series	Air Circuit Breakers
06	MCBs, System Pro M	Miniature Circuit Breakers
07	ATS & OT Switches	Automatic Transfer & OT Switches
08	Energy Meters	M2M & EQmatic Energy Meters
09	Soft Starters	PSR / PSE Series
10	Push Buttons & Signalling	OA & CP Series

01

MOTOR CONTACTORS
Contactors, A, AX & AF Series

A-line (A9 to A95), AX compact and AF electronic contactors with TA/TF/TH thermal overload relays for motor protection 0.1A to 1250A.

SERIES
AF09 to AF96 Series | 9 to 96A, electronic coil

AF116 to AF370 Series | 116 to 370A, electronic coil


AX Series | 9 to 370A, AC coil

B6 / B7 Mini Contactors | 9 to 12A, compact

A Series | 9 to 300A, AC coil

AFS Safety Contactors | 9 to 96A, mirror contacts

UA / UA-RA Capacitor Contactors | Capacitor duty

02

MS132 / MS165 MMS
Manual Motor Starters

Compact MMS with embedded overload and short circuit protection. Current range 0.16A to 65A. IEC Type 2 coordination capable.

SERIES
MS116 | 0.1 to 32A

MS132 | 0.1 to 32A

MS165 | 10 to 80A

MO165 | 0.16 to 80A

MS496 | 28 to 100A

03

THERMAL & ELECTRONIC OLR
Overload Relays

Thermal TF and electronic EF overload relays for motor protection, mounting directly on AF contactors.

SERIES
TF42 Thermal Overload Relay | 0.1 to 38A

TF65 Thermal Overload Relay | 13 to 67A

TF96 Thermal Overload Relay | 28 to 96A

TF140DU Thermal Overload Relay | 100 to 135A

EF19 / EF45 Electronic Overload Relay | 0.1 to 45A

04

MOULDED CASE CIRCUIT BREAKERS
MCCBs, DSP, XT & DSA Series

DSP, XT2S/XT3S/XT5S/XT6S and DSA series MCCBs with fixed and Ekip electronic trip units. 16A to 1600A, breaking capacity up to 200kA.

SERIES
Tmax XT1 | Up to 160A

Tmax XT2 | Up to 160A

Tmax XT3 | Up to 250A

Tmax XT4 | Up to 250A

Tmax XT5 | Up to 630A

DSP | 160 to 630A

DSA | 125 to 630A

05

AIR CIRCUIT BREAKERS
ACBs, Emax & Formula 1 Series

Emax 2 and Formula 1 series withdrawable and fixed air circuit breakers with advanced protection and communication capabilities. 400A to 6300A.

SERIES
Emax 2 E1.2 | Up to 1600A

Emax 2 E2.2 | Up to 2500A

Emax 2 E4.2 | Up to 4000A

Emax 2 E6.2 | Up to 6300A

Formula A1 / A2 / A3 | Up to 630A

06

MINIATURE CIRCUIT BREAKERS
MCBs, System Pro M

System Pro M series MCBs in 1P, 2P, 3P and 4P configurations from 1A to 125A for branch circuit protection in panels and distribution boards.

SERIES
S200 MCB | 0.5 to 63A, B/C/D

S800 High Performance MCB | 10 to 125A

F200 RCCB | 25 to 125A, 30mA

DS201 RCBO | 6 to 40A, B/C

07

AUTOMATIC TRANSFER & OT SWITCHES
ATS & OT Switches

Automatic Transfer Switches (ATS) and OT rotary disconnect switches for power changeover between mains and generator supply.

SERIES
OT Switch Disconnectors | 16 to 3150A

OS Fusible Switch Disconnectors | 16 to 1250A

OTM Transfer Switch Equipment | 32 to 3200A

TruONE ATS | 30 to 1600A

08

M2M & EQMATIC ENERGY METERS
Energy Meters

EQmatic and M2M series energy meters with single and three phase measurement, Modbus RTU / TCP communication and DIN rail mounting.

SERIES
M4M Network Analyser | Power quality

M2M Network Analyser | Switchboard metering

EQmatic Energy Analyzer QA/S | Web data logger

B23 / B24 Energy Meter | MID billing

A43 / A44 Energy Meter | Advanced metering

09



PSR / PSE SERIES

Soft Starters

PSR, PSE and PSTB soft starters for reduced voltage starting of AC motors from 3A to 1250A with integrated bypass contactor versions.

SERIES

PSR Compact | 3 to 105A

PSE Efficient | 18 to 370A

PSTX Advanced | 30 to 1250A

10



OA & CP SERIES

Push Buttons & Signalling

Metal and plastic push buttons, selector switches, indicator lights and emergency stops for panel front plates and machine control.

SERIES

Compact Pilot Devices | 22mm modular

CE4 Compact Emergency Stop | 22mm mount

CL2 Compact Pilot Lights | 22mm modular

Modular Pilot Devices | 22mm modular

Compact Selector Switches | 22mm modular



Let's power your next project.

Our team can help with selection, pricing, and technical guidance. Genuine products, full warranty.

AHMEDABAD (HEAD OFFICE)

E-12, Siddhivinayak Tower,
S.G. Highway, Makarba,
Ahmedabad, Gujarat 380051

BARODA

31 GIDC Estate, B/h Bank of
Baroda,
Makarpura, Vadodara – 390 010

GET IN TOUCH

sales@ssccontrol.com
+91 93130 80866
www.ssccontrol.com

GSTIN: 24ABGCS0605M1ZE · CIN: U51909GJ2021PTC122539